



Solahart Storage Water Heater



30 Litres Capacity

Compact & Stylish

Rapid Heating



Scan for
Digital Brochure



Solahart Storage Series

Cube & Slim - 30 Litres

Since 1953, Solahart has been Australia's solar pioneer. We've built a reputation as a world leader in solar innovation and technology, installing over 1.5 million solar hot water systems in over 70 countries around the world. Solahart Cube and Slim electric storage heater is a tank ready for immediate use which redefines how you experience warmth and comfort at home, promising an effortless and elegant addition to your daily life.

Why Choose Solahart Storage Series





1

Blue Enamel Coated Tank

Solahart's unique, industry-loading sapphire blue enamel formula offers optimum protection against corrosion, scale deposition & design to withstand high temperature.

2



Solahart Sacrificial Anode

Prevent rust and corrosion of heating element and provide longer life span.

3



Superior Incoloy Heating Element

Offers superior heating performance and enhances lifespan against poor water quality.

4



SolahartHot™ Inlet Diffuser

Whirl flow design allow rapid heating and optimized energy saving effect.

5



Single Weld Tank

Single weld tank on the inner tank to minimize vulnerability and reduce water leakage risks.

6



High Quality Insulation Foam

High density PU foam for excellent heat retention and greatly reduce heating time.

7



Safety Cut-Off

Cut-off power supply when the temperature reaches an unsafe level.

8



Superior Safety - IP24

Designed and built with splash-proof safety standard that protects the internal circuits from water.

9



Pressure Relief-Valve

Relief valve to release excessive pressure for safety.

10




Isolation Barrier

To prevent electric shocks in the incident of current leakage.

Technical Specification



Solahart Cube-30



Solahart Slim-30

	SC-30	SL-30
Tank Capacity	30 Litres*	
Power Voltage	2.5~2.9 kW, 220-240 V~50/60 Hz	
Heating Element	Incoloy 840	
Max. Working Temperature	70°C	
Rated Pressure	800 kPa / 8 bar	
Inner Tank Coating	Sapphire Blue Enamel	
Sacrificial Anode	Magnesium Anode	
Ingress Protection (IP Rating)	IP24	
Dimensions (HxWxD)	447x447x380mm	330x760x318mm
Weight (Empty/Full)	14 kg / 44 kg	17 kg / 47 kg
Warranties	8 years for tank & 2 years for parts	

* 2~3 showers in a single use.



Authorized distributor:
KTS TRADING SDN. BHD. (355917-X)

Sarawak Region : 084 - 325 033 Kuala Lumpur : 03 - 8942 3113
Sabah Region : 088 - 710 953 Helpline : 010 - 921 2811

Authorized Agent:



Helpline
010-921 2811



Solahart
Malaysia